

PAILS Solutions

Schoeller Allibert Ropac®
Premium Packaging Protection

➤ Catalogue



Schoeller Allibert



Since 1968
Ropac® is part of
Schoeller Allibert
company group

As part of Schoeller Allibert Group, our company is based in Romont since 1968. The factory in Switzerland is well known for the production of UN and high performance containers under the brand name Ropac®.



Schoeller Allibert



Our colors





Table of contents

- 01. Table of contents
- 02. Introduction
- 04. ROPAC® Secure
- 05. ROPAC® Prime
- 06. ROPAC® Original
- 07. ROPAC® Food & ROPAC® Cube
- 08. ROPAC® Pharma

Timeline



Digital print

Available on round pails from 5 up to 22 litres.



The 8 segments we serve

UV inks



ROPAC® Packaging Solutions have been the containers of choice for the UV Inks industry for many years. The UN Certified for Solids and Liquids ranges are chosen for their robustness, ability to efficiently protect against light and UV and their certification for class Y and Z up to 2.1 kg/dm³.

The possibility of having full open top or several types of Flex-Spouts gives your clients the ability to choose how they work with your product.

Chemicals



Many of the world's largest Chemical companies trust ROPAC® Packaging Solutions for safeguarding their products, reputation and the environment for over 40 years.

The UN Certified for Solids range is chosen for its ease-of-use, robustness and ability to efficiently protect your staff and the environment from the hazardous product.

ROPAC® Packaging Solutions are produced in virgin high-density polyethylene (HDPE) which increases impact resistance and guarantees performance at low and high temperatures.

Our robust packs ensure an exceptionally high level of stability on pallet and during transit.

Lubricants



Supporting some of the world's leading brands, ROPAC® Packaging Solutions ensure that Oils and Lubricants arrive safely around the world. Their robust, strong and easy to use profile allows a multitude of applications and our 'can do' attitude allows us to customize them with Flex-Spouts and Pump fitments.

ROPAC® strength ensures the environment is protected from any spills or leakages and that your valued clients are able to fully utilize the complete contents.

Coatings



We ensure your coatings arrive around the world safely in a robust and easy to use pack.

ROPAC® Packaging Solutions have been used extensively within the Coatings industries for many years due to their UN Certification for Solids and Liquids, their robustness and their ability to efficiently protect your product against harsh and hostile environments. ROPAC® Packaging Solutions withstand handling and transportation without compromising their quality.

Pharma products



Safeguarding your expensive Active Ingredients, our ROPAC® Pharma Packaging Solutions are the primary choice for your needs. ROPAC® has very close ties with the pharmaceutical industry and offers Food and Pharma grade containers to ship their extremely high value products around the world.

With every container having Tamper Evidence and being produced in our ISO22000 certified premises, you can be assured your product arrives exactly as it left your factory.

Cosmetics



Many leading Cosmetics manufacturers choose the ROPAC® range containers for the shipments of their high-value cosmetics and ingredients to safeguard their image, reputation and control costs. Cosmetics ingredients can be very high value and need to meet very high standards, subsequently we can produce robust pails which meet demands for Food or Pharma requirements.

Paints



The ROPAC® range of Packaging Solutions are used extensively by paints and coatings manufacturers, who prefer a robust, high quality and proven packaging solution which gives them the assurance that their product will arrive in a good way. The liquid-tight properties and robust construction means that our pails remain the primary pack of choice for demanding and tough applications within these interesting sectors.

Food & nutritional products



Food Grade and Pharma rated containers are trusted for many of the world's leading Food & Nutritional producers.

Our close ties with this industry ensure we deliver high-quality containers to ship their high value products around the world. Food & Nutritional product manufacturers rely on the safety and security provided by the UN rated ROPAC® pails.

ROPAC® Secure

Our strong UN Solid range, designed for demanding applications.



Secure



7503.006 - 3 L
 Reference MP 3LH
 UN certification 1H2/Y4/S
 Ext. Ø top (mm) 220,5
 Ext. Ø bottom (mm) 179
 Ext. height (mm) 143
 Weight (gr) 287,5



Standard gaskets : SEBS, PVC.



7505.006 - 5 L
 Reference MP 5LH
 UN certification 1H2/Y6/S
 Ext. Ø top (mm) 217
 Ext. Ø bottom (mm) 180
 Ext. height (mm) 219
 Weight (gr) 396,5



UN certified with flex-spout, vent, membrane.
 Standard gaskets : SEBS, PVC, PUR.



7506.006 - 6 L
 Reference MP 6LH
 UN certification 1H2/Y6/S
 Ext. Ø top (mm) 218,5
 Ext. Ø bottom (mm) 173
 Ext. height (mm) 267,5
 Weight (gr) 466



UN certified with flex-spout. Standard gasket : SEBS, PVC.



7510.006 - 10 L
 Reference MP 10LH
 UN certification 1H2/Y14/S
 Ext. Ø top (mm) 268
 Ext. Ø bottom (mm) 233
 Ext. height (mm) 274
 Weight (gr) 629,5



Standard gaskets : PVC.



7515.006 - 15 L
 Reference MP 15LH
 UN certification 1H2/Y23/S
 Ext. Ø top (mm) 320
 Ext. Ø bottom (mm) 278,5
 Ext. height (mm) 286,5
 Weight (gr) 938



Standard gaskets : SEBS, PVC.



7520.006 - 20 L
 Reference MP 20LH
 UN certification 1H2/Y27/S
 Ext. Ø top (mm) 321
 Ext. Ø bottom (mm) 280
 Ext. height (mm) 355
 Weight (gr) 1098



UN certified with standard and metallic flex-spout.
 Standard gaskets : SEBS, PVC, PUR.



7525.006 - 31 L
 Reference MP 31LH
 UN certification 1H2/Y40/S
 Ext. Ø top (mm) 398
 Ext. Ø bottom (mm) 345
 Ext. height (mm) 372
 Weight (gr) 1865



Standard gaskets : PVC.



7526.006 - 32 L
 Reference MP 32LH
 UN certification 1H2/Y36/S
 Ext. Ø top (mm) 379
 Ext. Ø bottom (mm) 306
 Ext. height (mm) 405
 Weight (gr) 1400



Further certification for chlorine tablets. Standard gaskets : SEBS.

ROPAC® Prime

Our reliable UN Liquid range, offering exceptional protection and strength.



Prime



7562.006 - 5 L
 Reference LIQ 5L
 UN certification 1H2/Y2.1/100
 Ext. Ø top (mm) 224
 Ext. Ø bottom (mm) 181
 Ext. height (mm) 230
 Weight (gr) 481



Further UN certifications for solids: 1H2/Z26/S and 1H2/X9/S.
 UN certified with flex-spout, event, membrane. Standard gasket : PUR.



7564.006 - 10 L
 Reference LIQ 10 L
 UN certification 1H2/Y1.6/100
 Ext. Ø top (mm) 289
 Ext. Ø bottom (mm) 244
 Ext. height (mm) 282
 Weight (gr) 930



UN certified with flex-spout. Standard gasket : PUR.



7565.006 - 15 L
 Reference LIQ 15 L
 UN certification 1H2/Y1.2/100
 Ext. Ø top (mm) 289
 Ext. Ø bottom (mm) 244
 Ext. height (mm) 395
 Weight (gr) 1152



UN certified with flex-spout. Standard gasket : PUR.



7566.006 - 20 L
 Reference LIQ 20 L
 UN certification 1H2/Y1.6/100
 Ext. Ø top (mm) 289
 Ext. Ø bottom (mm) 244
 Ext. height (mm) 460
 Weight (gr) 1262



Further UN certification for solids : 1H2/X32/S.
 UN certified with flex-spout. Standard gasket : PUR.

Lid devices



Standard flex-spout



Red flex-spout



Vent



Membrane flex-spout

Closing devices



Semi-automatic lid-press




Nylon ring for the UN liquid range

ROPAC® Original

All the Ropac® quality advantages for non-hazardous applications.




Original



7501.300 - 0.15 L


Reference	RT 0.15 MP
Ext. Ø top (mm)	85.2
Ext. Ø bottom (mm)	53.6
Ext. height (mm)	85.8
Weight (gr)	66.2

PVC gasket.




7503.006 - 3 L

Reference	MP 3LW
Ext. Ø top (mm)	220.5
Ext. Ø bottom (mm)	179
Ext. height (mm)	143
Weight (gr)	291.5




7505.006 - 5 L

Reference	MP 5LW
Ext. Ø top (mm)	217
Ext. Ø bottom (mm)	180
Ext. height (mm)	219
Weight (gr)	400.5




7506.006 - 6 L

Reference	MP 6LW
Ext. Ø top (mm)	218.5
Ext. Ø bottom (mm)	173
Ext. height (mm)	267.5
Weight (gr)	470




7510.006 - 10 L

Reference	MP 10LW
Ext. Ø top (mm)	268
Ext. Ø bottom (mm)	233
Ext. height (mm)	274
Weight (gr)	649.5




7515.006 - 15 L

Reference	MP 15LW
Ext. Ø top (mm)	320
Ext. Ø bottom (mm)	278.5
Ext. height (mm)	286.5
Weight (gr)	958



7520.006 - 20 L


Reference	MP 20LW
Ext. Ø top (mm)	321
Ext. Ø bottom (mm)	280
Ext. height (mm)	355
Weight (gr)	1118



7520.006 - 22 L

Reference	MP 22LW
Ext. Ø top (mm)	324.5
Ext. Ø bottom (mm)	276
Ext. height (mm)	387
Weight (gr)	1174


Lid 15-20H possible.



7525.006 - 31 L

Reference	MP 31LH
Ext. Ø top (mm)	398
Ext. Ø bottom (mm)	345
Ext. height (mm)	372
Weight (gr)	1865

No gasket.



7526.006 - 32 L

Reference	MP 32LH
Ext. Ø top (mm)	379
Ext. Ø bottom (mm)	306
Ext. height (mm)	405
Weight (gr)	1400

With or without gasket.


ROPAC® Food & ROPAC® Cube

Food : Our range for liquid foods where good seals and robustness are required.

Cube : Heavy duty pails for efficient protection and shipments.




Food



7562.006 - 5 L

Reference	FOOD 5L
Ext. Ø top (mm)	224
Ext. Ø bottom (mm)	181
Ext. height (mm)	230
Weight (gr)	481


Standard gasket : SEBS. Option flex-spout.



7564.006 - 10 L

Reference	FOOD 10 L
Ext. Ø top (mm)	289
Ext. Ø bottom (mm)	244
Ext. height (mm)	282
Weight (gr)	930


Standard gasket : SEBS. Option flex-spout.



7565.006 - 15 L

Reference	FOOD 15L
Ext. Ø top (mm)	289
Ext. Ø bottom (mm)	244
Ext. height (mm)	395
Weight (gr)	1152

Standard gasket : SEBS. Option flex-spout.




7566.006 - 20 L

Reference	FOOD 20 L
Ext. Ø top (mm)	289
Ext. Ø bottom (mm)	244
Ext. height (mm)	460
Weight (gr)	1262

Standard gasket : SEBS. Option flex-spout.


Cube



7601.006 - 3 L


Reference	MP 3 L REC
Ext. top (mm)	259 x 142
Ext. bottom (mm)	240 x 126
Ext. height (mm)	124
Weight (gr)	188

Special lid for battery recycling applications.




7603.006 - 12 L

Reference	MP 12 L REC
Ext. top (mm)	306 x 239
Ext. bottom (mm)	256 x 188
Ext. height (mm)	268
Weight (gr)	625




7607.006 - 22 L

Reference	MP 22 L REC
Ext. top (mm)	355 x 291
Ext. bottom (mm)	285 x 220
Ext. height (mm)	354
Weight (gr)	1215



7610.001 - 75 L

Reference	MP 75 L REC
Ext. top (mm)	569 x 378
Ext. bottom (mm)	498 x 310
Ext. height (mm)	491
Weight (gr)	3600





Lid for 7610.001

ROPAC® Pharma

Clean, certified protection for your sensitive & high value contents.





Pharma

 **7501.300 - 0.15 L** 



Reference	RT 0.15 MP
Ext. Ø top (mm)	85.2
Ext. Ø bottom (mm)	53.6
Ext. height (mm)	85.8
Weight (gr)	66.2

Silicone gasket.

 **7503.306 - 3 L** 



Reference	MP 3LH
Ext. Ø top (mm)	220.5
Ext. Ø bottom (mm)	179
Ext. height (mm)	143
Weight (gr)	287.5

SEBS gasket.

 **7505.306 - 5 L** 



Reference	MP 5LH
Ext. Ø top (mm)	217
Ext. Ø bottom (mm)	180
Ext. height (mm)	219
Weight (gr)	396.5

SEBS gasket.

 **7506.306 - 6 L** 



Reference	MP 6LH
Ext. Ø top (mm)	218.5
Ext. Ø bottom (mm)	173
Ext. height (mm)	267.5
Weight (gr)	466

SEBS gasket.

 **7510.306 - 10 L** 



Reference	MP 10LH
Ext. Ø top (mm)	268
Ext. Ø bottom (mm)	233
Ext. height (mm)	274
Weight (gr)	629.5

SEBS gasket.



 **7515.306 - 15 L** 

Reference	MP 15LH
Ext. Ø top (mm)	320
Ext. Ø bottom (mm)	278.5
Ext. height (mm)	286.5
Weight (gr)	938

SEBS gasket.



 **7520.306 - 20 L** 

Reference	MP 20LH
Ext. Ø top (mm)	321
Ext. Ø bottom (mm)	280
Ext. height (mm)	355
Weight (gr)	1098

 **7520.306 - 22 L** 



Reference	MP 22LH
Ext. Ø top (mm)	324.5
Ext. Ø bottom (mm)	276
Ext. height (mm)	387
Weight (gr)	1174

SEBS gasket.

 **7525.306 - 31 L** 

Reference	MP 31LH
Ext. Ø top (mm)	398
Ext. Ø bottom (mm)	345
Ext. height (mm)	372
Weight (gr)	1865


PVC gasket. Special lid for metallic flex-spout.

 **7526.306 - 32 L** 

Reference	MP 32LH
Ext. Ø top (mm)	379
Ext. Ø bottom (mm)	306
Ext. height (mm)	405
Weight (gr)	1400

SEBS gasket. Special lid for metallic flex-spout.





① **Switzerland**
Schoeller Allibert SWISS Sàrl
 11, route de la Condémine
 CH-1680 ROMONT
 Tel. +41 26 651 92 11
 Fax +41 26 651 92 31
 www.ropac-packaging.com
 sophie.verdot@schoellerallibert.com

Ropac® Distributors:

② **United Kingdom**
Patrico
 Northway Lodge
 Northway Lane
 Tewkesbury
 Gloucestershire
 GL20 8JG
 United Kingdom
 Tel +44 1684 299 212
 Fax: +44 1684 850 210
 Email: sales@patrico.co.uk
 www.patrico.co.uk

③ **Netherland**
Bark Verpakkingen B.V.
 Coldenhovenseweg 79
 NL-6961 EC EERBEEK
 Phone: +31(0)313-679530
 Fax: +31(0)313-679531
 Email:bark@bark-verpakkingen.com
 www.bark-verpakkingen.com

④ **France**
FILLAUD Ouest Atlantique
 44840 Les Sorinières
 Tel. 02 51 71 27 27

⑤ **France**
FIDEL Nord Ile de France
 93240 Stains
 Tel. 01 49 71 17 17

⑥ **France**
FIDEL Rhône Alpes
 69800 Saint-Priest
 Tel. 04 72 47 60 60

⑦ **France**
FILLAUD Midi-Aquitaine
 31000 Toulouse
 Tel. 05 61 72 45 67

⑧ **France**
FIDEL Alsace Lorraine
 54110 Dombasle sur Meurthe
 Tel. 03 83 45 31 61

⑨ **France**
FIDEL Azur Méditerranée
 13400 Aubagne
 Tel. 04 42 18 77 77

⑩ **Belgium**
SEPAC Belgique, Pays Bas
 Wilrijk Belgique
 Tel. 00 32 3 353 93 96

⑪ **Switzerland**
PACPLAST GMBH
 Birkenstraße 47
 CH-6343 Rotkreuz
 Switzerland
 Tel: +41 41 790 93 00
 www.pacplast.ch



Schoeller Allibert



www.ropac-packaging.com